



TEST KIT LUBE OIL CHECK 5

Test kit for checking water-in-oil, Base Number, oil viscosity, salt water contamination and spot test.

FEATURES & BENEFITS



- Convenient size, comfortable to transport
- Easy and quick test methods
- Accurate and efficient test results
- Easy to use even for untrained personnel

APPLICATIONS

The TEST KIT LUBE OIL CHECK 5 is usefully designed in a way that it contains all necessary analysis equipment to measure essential properties of the engine lube oil. The test kit consists of various devices for five different tests that provide comprehensive, accurate and efficient indication of the oil condition on-site. The trend analysis of the water-in-oil content, Base Number, viscosity, salt water and soot contamination allows one to assess whether the important parameters of the lubricating oils are in normal ranges or not.

PARAMETERS TO MEASURE

Water in oil:

- Measuring range: 0 - 1.0 vol. % H₂O
- Measuring time: up to 20 min.
- Accuracy: ± 3%

Base Number:

- Measuring range: 0 - 100 BN
- Measuring time: up to 20 min.
- Accuracy: ± 1 BN

Oil viscosity:

- Measuring range: max. lube oil
- Measuring time: about 3 min.

Salt water contamination:

- Measuring range: go / no go
- Measuring time: about 10 min.

Spot test:

- Measuring range: all lube oils
- Measuring time: about 1 min.

The following test devices are included:

- V 150 Salt Check
- V 5108 Twin Check
- V 310 Spot Check
- V 200 Viscosity Comparator



STANDARD PACKING

TEST KIT LUBE OIL CHECK 5 is usually provided in a sturdy briefcase of 58 x 40 x 26 cm.

For product characteristics and for the nature of special risks and safety advice consult our MSDS.
www.vecom-marine.com - sales@vecom-marine.com