

phone: + 31 (0)10 5930 210

Email: sales@vecom-marine.com

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Reagent TH2 Total Hardness Buffer
- · Catalog number: 100343E
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Vecom Marine B.V.

Mozartlaan 3

3144 NA Maassluis

The Netherlands

· 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service) Only for the purpose of informing medical personnel in case of acute intoxications. See section 4 on first aid measures.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms





GHS05 GI

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

2-aminoethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

(Contd. on page 2)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 1)

Precautionary statements

P260 Do not breathe mist/vapours/spray.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

Contact with skin and inhalation of aerosols/ vapours of the preparation should be avoided.

CAS 141-43-5: Danger by skin resorption.

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: aqueous solution

· Dangerous components:		
CAS: 141-43-5 2-aminoethanol		20-30%
EINECS: 205-483-3 Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Index No: 603-030-00-8 STOT SE 3, H335		
	Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	
CAS: 2002-24-6	2-hydroxyethylammonium chloride	5-<10%
EINECS: 217-900-6	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air or oxygen; call for doctor.
- · After skin contact

Wash with polyethylene glycol 400 and then rinse with copious amounts of water.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed:

burns

after inhalation:

breathing difficulty

coughing

· Danger Danger of gastric perforation.

· 4.3 Indication of any immediate medical attention and special treatment needed:

If swallowed or in case of vomiting, danger of entering the lungs

Subsequent observation for pneumonia and pulmonary oedema

- GB -

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Use fire fighting measures that suit the environment.

Water, Carbon dioxide (CO₂), Foam, Fire-extinguishing powder

· For safety reasons unsuitable extinguishing agents

For this substance / mixture no limitations of extinguishing agents are given.

· 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

· Advice for non-emergency personnel:

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Prevent formation of aerosols.

Ensure good ventilation/exhaustion at the workplace.

· Advice on safe handling: Prevent formation of aerosols.

· Hygiene measures:

Do not inhale gases / fumes / aerosols.

Do not get in eyes, on skin, or on clothing.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke when using this product.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store container in a well ventilated position.

(Contd. on page 4)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 3)

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 141-43-5 2-aminoe	CAS: 141-43-5 2-aminoethanol	
WEL (Great Britain)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk	
IOELV (European Union)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Skin	
OEL (Sweden)	Short-term value: 7.5 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm H	

· Regulatory information

WEL (Great Britain): EH40/2011

IOELV (European Union): (EU) 2017/164

OEL (Sweden): AFS2015:7

· DNELs

Derived No Effect Level (DNEL)

CAS: 141-	CAS: 141-43-5 2-aminoethanol		
Oral	DNEL	L 3.75 mg/kg (Consumer / long-term / systemic effects)	
Dermal	DNEL	1 mg/kg (Worker / long-term /systemic effects)	
		0.24 mg/kg (Consumer / long-term / systemic effects)	
Inhalative	DNEL	3.3 mg/m³ (Worker / long-term / local effects)	
		2 mg/m³ (Consumer / long-term / systemic effects)	

· Recommended monitoring procedures:

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· PNECs

Predicted No Effect Concentration (PNEC)

	1 redicted the Elliot Concentration (1 1420)		
CAS:	CAS: 141-43-5 2-aminoethanol		
PNEC	EC 100 mg/l (Sewage treatment plant)		
	0.0085 mg/l (Marine water)		
	0.025 mg/l (Aquatic intermittent release)		
	0.085 mg/l (Fresh water)		
PNEC	0.035 mg/kg (Soil)		
	0.0425 mg/kg (Marine sediment)		
	0.425 mg/kg (Fresh water sediment)		

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection Tightly sealed safety glasses.

(Contd. on page 5)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 4)

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use: Filter B
- · Environmental exposure controls

Avoid release to the environment.

Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odour:
Odour threshold:
Melting point/Freezing point:

Fluid

Liquid
Light brown
Ammonia-like
Not determined.
Not applicable.
Not determined.

· Boiling point or initial boiling point and boiling range 100°C

· Flammability Not applicable.

• Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.

· Ignition temperature: 385°C

Not applicable.

• Decomposition temperature:

Not determined.

• pH at 20°C 10.5

· Kinematic viscosity Not determined.

· Solubility

· Water: Fully miscible

• Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure: Not determined.

· Density and/or relative density

Density at 20°C:
 Relative density:
 1 g/cm³
 Not determined.

Relative gas density
 Particle characteristics
 Not determined.
 Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

· Additional information

· Solids content: < 10 %

· Solvent content:

Organic solvents: 20 - 30 %
 Water: < 70 %

— GB –

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 5)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Fumes can combine with air to form an explosive mixture.
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents

If heated:

Forms explosive gas mixture with air

- · 10.4 Conditions to avoid Heating.
- · 10.5 Incompatible materials:

copper

rubber

· 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values that are relevant for classification:		
CAS: 141-	CAS: 141-43-5 2-aminoethanol		
Oral	LD50	1720 mg/kg (rat) (GESTIS)	
Dermal	LD50	1010 mg/kg (rabbit) (GESTIS)	
Inhalative	LC50/4h	11 mg/l/4h (ATE)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation

Causes serious eye damage.

Risk of blindness!

· Information on components:

CAS: 141-43-5 2-aminoethanol			
Irritation of skin	OECD 404	(rabbit: burns) (IUCLII	

Irritation of eyes OECD 405 (rabbit: burns) (IUCLID)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Information on components:

OECD 414: Teratogenicity testing

OECD 473: Mutagenicity testing

OECD 471, 474, 476, 487: Germ cell mutagenicity testing

	0200,	old in the transfer of the common total and the com	
	CAS: 141-43-5 2-aminoethanol		
Г	OECD 471	(negative) (Bacterial Reverse Mutation Test - Ames test)	
		(Salmonella typhimurium)	
	OECD 474	(negative)	

- · STOT (specific target organ toxicity) -single exposure May cause respiratory irritation.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 6)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

riquatio toxioity:

CAS: 141-43-5 2-aminoethanol

EC50 65 mg/l/48h (Daphnia magna)

(IUCLID)

IC50 22 mg/l/72h (Desmodesmus subspicatus)

(IUCLID)

LC50 150 mg/l/96h (rainbow trout)

(IUCLID)

· 12.2 Persistence and degradability

CAS: 141-43-5 2-aminoethanol

OECD 301 F 90-100 % / 28 d (readily biodegradable) (Manometric Respirometry)

· 12.3 Bioaccumulative potential

Pow = n-octanol/wasser partition coefficient

log Pow < 1 = Does not accumulate in organisms.

CAS: 141-43-5 2-aminoethanol

log Pow -1.91 (.) (OECD 107 / 25°C)

CAS: 2002-24-6 2-hydroxyethylammonium chloride

log Pow -4.8 (calculation) (Merck)

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Hand over to disposers of hazardous waste.

· European waste catalogue

16 05 06* laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA UN2491

(Contd. on page 8)

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

• 14.2 UN proper shipping name
• ADR 2491 ETHANOLAMINE SOLUTION

ETHANOLAMINE SOLUTION

· 14.3 Transport hazard class(es)

· ADR



· IMDG, IATA

· Class 8 (C7) Corrosive substances.

· Label

· IMDG, IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Warning: Corrosive substances.

Kemler Number:
EMS Number:
Stowage Category

80

F-A,S-B

A

· Segregation Code SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· Transport/Additional information:

· ADR

Excepted quantities (EQ):
Limited quantities (LQ)
Excepted quantities (EQ)
Code: E1

Movimum n

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Transport category Tunnel restriction code ∃

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

(Contd. on page 9)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 08.03.2021

Product name: Reagent TH2 Total Hardness Buffer

(Contd. of page 8)

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

Employment restrictions concerning young persons must be observed (94/33/EC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Training hints Provide adequate information, instruction and training for operators.
- · Relevant phrases
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Abbreviations and acronyms:

EC50: effective concentration, 50 percent (in vivo)
OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

- · Sources Data arise from safety data sheets, reference works and literature.
- · * Data compared to the previous version altered.



Page 1/6

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Reagent TH3 Hardness LR Titrant
- · Catalog number: 100324
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Vecom Marine B.V. Mozartlaan 3 3144 NA Maassluis The Netherlands

phone: + 31 (0)10 5930 210 Email: sales@vecom-marine.com

· 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service) Only for the purpose of informing medical personnel in case of acute intoxications. See section 4 on first aid measures.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards No further relevant information available.
- · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: aqueous solution
- · Dangerous components: Void

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.

(Contd. on page 2)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

Product name: Reagent TH3 Hardness LR Titrant

(Contd. of page 1)

- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel: Wear protective equipment. Keep unprotected persons away.
- · Advice for emergency responders: Protective equipment: see section 8
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

Do not eat, drink or smoke when using this product.

Wash hands during breaks and at the end of the work.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and containers: Store in cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

· Recommended storage temperature: 20°C +/- 5°C

(Contd. on page 3)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

Product name: Reagent TH3 Hardness LR Titrant

(Contd. of page 2)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

use against the effects of fumes / dust

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Not required.
- · Recommended filter device for short term use: Filter B
- · Environmental exposure controls No special measures required.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odourless
Odour threshold:
Fluid
Solution
Colourless
Odourless
Not applicable.

• Melting point/Freezing point: 0°C

Boiling point or initial boiling point and boiling range 100°C (CAS: 7732-18-5 water)
 Flammability The product is not combustible.

• Explosive properties: Product is not explosive.

· Lower and upper explosion limit

Lower:

Upper:
Not applicable.
Flash point:
Not applicable.
Not determined.

• pH at 20°C 4.5

· Kinematic viscosity Not determined.

· Solubility

• Water: Fully miscible

Partition coefficient n-octanol/water (log value)
 Vapour pressure at 20°C:
 Not applicable (mixture).
 23 hPa (CAS: 7732-18-5 water)

 \cdot Density and/or relative density

· Density at 20°C: 1 g/cm³

(Contd. on page 4)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

Product name: Reagent TH3 Hardness LR Titrant

(Contd. of page 3)

Relative density:

Not determined.

Void

· 9.2 Other information	
· Particle characteristics	Not applicable (liquid).
Relative gas density	Not determined.
· Relative density:	Not determined.

· Corrosive to metals

· Information with regard to physical hazard classes

Other safety characteristicsOxidising properties: none

· Additional information

· Solids content: < 0.5 %

Solvent content:
Organic solvents:
Water:
99 %

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see section 10.3
- · 10.2 Chemical stability Stable at ambient temperature (room temperature).
- · 10.3 Possibility of hazardous reactions The generally known reaction partners of water.
- · 10.4 Conditions to avoid To avoid thermal decomposition do not overheat.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

Product name: Reagent TH3 Hardness LR Titrant

(Contd. of page 4)

· 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects No special measures required.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

· Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

· Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

(Contd. on page 6)

Printing date 26.08.2021 Version number 6 (replaces version 5) Revision: 09.02.2021

Product name: Reagent TH3 Hardness LR Titrant

(Contd. of page 5)

- · Information about limitation of use: Not required.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Training hints Provide adequate information, instruction and training for operators.

Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: hallf maximal inhibitory concentration
NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

- · Sources Data arise from safety data sheets, reference works and literature.
- · * Data compared to the previous version altered.

GB



Page 1/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Reagent TH5 Total Hardness Ind.
- · Catalog number: 100633E
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for water analysis
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Vecom Marine B.V. Mozartlaan 3

0444 NIA NA

3144 NA Maassluis The Netherlands phone: + 31 (0)10 5930 210 Email: sales@vecom-marine.com

· 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service) Only for the purpose of informing medical personnel in case of acute intoxications. See section 4 on first aid measures.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified as hazardous according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

· Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Solvent mixture with additives.
- · Dangerous components: Void

- GB --

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eve contact

Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed:

irritations

after inhalation:

coughing

mucous membrane irritation

fatique

after swallowing:

sickness

vomiting

diarrhoea

pain

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents

For this substance / mixture no limitations of extinguishing agents are given.

· 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

combustible

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Nitrogen oxides (NOx)

Carbon monoxide (CO) and carbon dioxide (CO₂)

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

· Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

- · Advice for non-emergency personnel: No special measures required.
- Advice for emergency responders: Protective equipment: see section 8

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 2)

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- · Advice on safe handling: No special precautions necessary if used correctly.
- · Hygiene measures:

The usual precautionary measures should be adhered to general rules for handling chemicals.

Do not eat, drink or smoke when using this product.

Wash hands during breaks and at the end of the work.

· 7.2 Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and containers:

Store in cool location.

Do not use light alloy containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

- · Recommended storage temperature: 20°C +/- 5°C
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 102-71-6 Triethanolamine

OEL (Sweden) Short-term value: 10 mg/m³, 1.6 ppm Long-term value: 5 mg/m³, 0.8 ppm

H, V

- · Regulatory information OEL (Sweden): AFS2015:7
- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- Engineering measures:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

· Individual protection measures, such as personal protective equipment

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

· Eye/face protection

Safety glasses

use against the effects of fumes / dust

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

· Penetration time of glove material

Value for the permeation: Level = 1 (< 10 min)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Other skin protection (body protection): Protective work clothing.
- · Breathing equipment: Use breathing protection against the effects of fumes/dust/aerosol.
- · Recommended filter device for short term use:

Combination filter A-P2

Filter A

(Contd. on page 4)

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 3)

· Environmental exposure controls Do not allow product to reach sewage system or water bodies.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

Physical state
Form:
Colour:
Odour:
Odourless
Odour threshold:
Fluid
Solution
Blue
Odourless
Not applicable.

Melting point/Freezing point:

 Boiling point or initial boiling point and boiling range Not determined.
 Flammability

 Not determined.

Flammability
 Explosive properties:
 Not determined.
 Product is not explosive. However, formation of explosive air/steam

mixtures is possible.

Not determined.

· Lower and upper explosion limit

• **Lower:** 1.1 Vol % (CAS 102-71-6) • **Upper:** 7.2 Vol % (CAS 102-71-6)

· Flash point: >100°C

• **Ignition temperature:**Not determined.
Not applicable.

• Decomposition temperature: Not determined.

• **pH at 20°C** 10.5

· Kinematic viscosity Not determined.

SolubilityWater: Fully miscible

· Partition coefficient n-octanol/water (log value) Not applicable (mixture).

· Vapour pressure:

· Density and/or relative density

Density at 20°C:
 Relative density:
 Relative gas density
 Particle characteristics
 1.04 g/cm³
 Not determined.
 Not determined.
 Not applicable (liquid).

· 9.2 Other information

· Information with regard to physical hazard classes

· Corrosive to metals Void

· Other safety characteristics

· Oxidising properties: none

· Additional information

· Solids content: < 1 %

· Solvent content:

 \cdot Organic solvents: > 99 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity Fumes can combine with air to form an explosive mixture.

· 10.2 Chemical stability

Stable at ambient temperature (room temperature).

sensitive to air

· 10.3 Possibility of hazardous reactions

In contact with nitrites, nitrates or nitrous acid possible release of nitrosamines (carcinogenic)!

Reacts with oxidizing agents Reacts with acid chlorides

Exothermic reaction with acids

· 10.4 Conditions to avoid Strong heating (decomposition)

· 10.5 Incompatible materials:

light metals

non-ferrous metal

(Contd. on page 5)

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 4)

10.6 Hazardous decomposition products: see section 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met.
- · STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

CAS is skin-resorbing.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects Avoid transfer into the environment.
- · Water hazard:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 5)

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IMO	
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)

None of the ingredients is listed.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:

None of the ingredients is listed.

· REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

- · Directive 2012/18/EU (SEVESO III):
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

This product does not contain any substances of very high concern above the legal concentration limit of ≥ 0.1% (w / w).

- Information about limitation of use: Not required.
- · National regulations

· VOC-value EC: 1036.4 g/l

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Training hints Provide adequate information, instruction and training for operators.
- Abbreviations and acronyms:

STOT: specific target organ toxicity

SE: single exposure RE: repeated exposure

EC50: half maximal effective concentration IC50: hallf maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

(Contd. on page 7)

Printing date 26.08.2021 Version number 4 Revision: 17.04.2021

Product name: Reagent TH5 Total Hardness Ind.

(Contd. of page 6)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of

Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

- · Sources Data arise from safety data sheets, reference works and literature.
- · * Data compared to the previous version altered.