

SAFETY DATA SHEET

Oil Spill Dispersant Type I

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Oil Spill Dispersant Type I

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
 - ▼ Relevant identified uses of the substance or mixture No special.
 - ▼ Uses advised against
 - No special.

1.3. Details of the supplier of the safety data sheet

Company and address

Vecom Marine B.V. Mozartlaan 3 3144 NA Maassluis The Netherlands

+31 (0) 10-5930210

https://vecom-marine.com

Contact person

Vecom Marine B.V.

E-mail

sales@vecom-marine.com Revision 8/31/2022 SDS Version

3.0

5.0

Date of previous version

4/11/2022 (2.0)

1.4. Emergency telephone number

National Poisons Information Centre (NVIC): +31 (0)88-755-8000 (24 hour service) Only intended to inform professional emergency services in case of acute poisoning. See section 4 on first aid measures.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.

2.2. Label elements

Hazard pictogram(s)



Signal word Danger Hazard statement(s) May be fatal if swallowed and enters airways. (H304) Safety statement(s) General



Prevention

▼ Response

```
IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)
```

```
Do NOT induce vomiting. (P331)
```

Storage

Disposal

Dispose of contents/container to an approved waste disposal plant. (P501)

▼ Hazardous substances

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics

Additional labelling

EUH066, Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

▼ 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C10-C13, n-alkanes, isoalkanes,	CAS No.:	80-95%	EUH066 Asp. Tox. 1, H304	
naphtalene <2%	EC No.: 918-481-9		•	
aromatics	REACH: 01-2119457273-39			
	Index No.:			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. • Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor.



Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

▼ Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

▼ 6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

▼ 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

▼ DNEL

No data available.

▼ PNEC

No data available.

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

|--|

No specific requirements

Skin protection

Recommended Wear appropriate protection clothing, e.g. coveralls in	Type/Category -	Standards -	R
polypropylene or working clothes in cotton or polyester.			

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	-	EN374-2	

▼ Eye protection



Туре		Standards	
Safety shield	glasses with side s.	EN166	
SECTION 9: P	hysical and chemica	l properties	
9.1. Informat	ion on basic physica	l and chemical properties	
Physical s			
Liquid			
Colour			
Clear	dour threshold		
	cteristic		
▼ pH			
	not relevant or no	possible due to the nature of the product	t.
Density (g	-	· · · · · · · · · · · · · · · · · · ·	
0.78 (2			
Relative d	ensity		
0.78 (2			
	tic viscosity		
	-	possible due to the nature of the product	t.
	naracteristics		
Phase change	not apply to liquids.		
-	point/Freezing poir	nt (°C)	
-		possible due to the nature of the product	t.
	point/range (waxes		
Does n	not apply to liquids.		
▼ Boiling	point (°C)		
	-	possible due to the nature of the product	t.
▼ Vapour			
	-	possible due to the nature of the product	t.
	e vapour density	possible due to the nature of the product	+
	position temperatur		ι.
		possible due to the nature of the product	t.
	and explosion hazar		
Flash poir			
62			
▼Ignition			
	-	possible due to the nature of the product	t.
	mmability (°C)	and the state of the	
	g not relevant or no and upper explosion	possible due to the nature of the product	t.
		possible due to the nature of the product	t
Solubility			
-	ty in water		
	•	possible due to the nature of the product	t.
▼n-octan	ol/water coefficient		
	-	possible due to the nature of the product	t.
	ty in fat (g/L)		
		possible due to the nature of the product	t.
9.2. Other inf	formation		



```
▼ Other physical and chemical parameters
No data available.
```

SECTION 10: Stability and reactivity

▼10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- ▼ 10.3. Possibility of hazardous reactions
 - No special.
- ▼ 10.4. Conditions to avoid

No special.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

	Product/substance Test method	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics
	Species	Rat
	Route of exposure	Inhalation
	Test	LC50 (4 hours)
	Result	>5000 mg/kg
	Other information	- Sooo mg.kg
	Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics
	Test method	
	Species	Rat
	Route of exposure	Oral
	Test	LD50
	Result	>5000 mg/kg
	Other information	
	Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics
	Test method	
	Species	Rabbit
	Route of exposure	Dermal
	Test	LD50
	Result	>5000 mg/kg
	Other information	
Sk	n corrosion/irritation	
	Based on available da	ta, the classification criteria are not met.
Se	rious eye damage/irrita	ation

Based on available data, the classification criteria are not met. **Respiratory sensitisation**

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met.



	Germ cell mutagenicity
	Based on available data, the classification criteria are not met.
	Carcinogenicity
	Based on available data, the classification criteria are not met.
	Reproductive toxicity
	Based on available data, the classification criteria are not met.
	STOT-single exposure
	Based on available data, the classification criteria are not met.
	STOT-repeated exposure
	Based on available data, the classification criteria are not met.
	Aspiration hazard
	May be fatal if swallowed and enters airways.
1	1.2. Information on other hazards
	▼Long term effects
	No special.
	▼Endocrine disrupting properties

- Endocrine disrupting properties No special.
- ▼ Other information No special.

SECTION 12: Ecological information

▼12.1. Toxicity

Test method	
Species	Daphnia
Compartment	
Duration	48 hours
Test	ELO
Result	1000 mg/L
Other information	
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LLO
Result	1000 mg/L
Other information	
Product/substance	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, naphtalene <2% aromatics
Test method	
Species	Algae
Compartment	
Duration	72 hours
Test	ELO
Result	1000 mg/L
Other information	

- No data available.
- ▼ 12.3. Bioaccumulative potential No data available.



▼12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

▼ 12.6. Endocrine disrupting properties No special.

▼ 12.7. Other adverse effects

No special.

SECTION 13: Disposal considerations

▼ 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

▼ EWC code

Not applicable.

- ▼ Specific labelling
 - Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- ▼ 14.6. Special precautions for user
 - Not applicable.
- ▼ 14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

- Restricted to professional users.
- ▼ Demands for specific education
 - No specific requirements.
- SEVESO Categories / dangerous substances Not applicable.
- Additional information
- Not applicable.

Sources

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).



15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H304, May be fatal if swallowed and enters airways.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate **BCF** = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

▼ The safety data sheet is validated by

RPK Other

> A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

> The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.



It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: NL-en