

SAFETY DATA SHEET

Veclean Blue

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

▼Trade name

Veclean Blue

- 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture
 - No special
 - Uses advised against
 - No special

1.3. Details of the supplier of the safety data sheet

Company and address

Vecom Marine B.V. Mozartlaan 3 3144 NA Maassluis The Netherlands +31 (0) 10-5930210

https://vecom-marine.com

Contact person

Vecom Marine B.V.

E-mail

sales@vecom-marine.com Revision

11/04/2022

SDS Version

3.0

Date of previous version

11/04/2022 (2.0)

1.4. Emergency telephone number National Poisons Information Centre (NVIC): +31 (0)88-755-8000 (24 hour service) Only intended to inform professional emergency services in case of acute poisoning. See section 4 on first aid measures.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

Carc. 2; H351, Suspected of causing cancer.

2.2. Label elements

Hazard pictogram(s)



Signal word Danger Hazard statement(s) Causes serious eye damage. (H318)



Sus	spected of causing cancer. (H351)
Safety	statement(s)
Gei	neral
	-
Pre	evention
	Wear eye protection/protective gloves/protective clothing. (P280)
	Obtain special instructions before use. (P201)
Res	sponse
	IF exposed or concerned: Get medical advice/attention. (P308+P313)
	Immediately call a POISON CENTER/doctor. (P310)
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing. (P305+P351+P338)
Sto	prage
	-
Dis	posal
	Dispose of contents/container to an approved waste disposal plant. (P501)
Hazaro	dous substances
Sul	fonic acids, petroleum, sodium salts
Ace	etic acid, nitrilotri-, trisodium salt, monohydrate
Iso	tridecanol, ethoxylated (Imbentin T080/90)
2.3. Other	r hazards
Additio	onal labelling

Not applicable

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sulfonic acids, petroleum, sodium salts	CAS No.: 68608-26-4	3-5%	Skin Irrit. 2, H315 Eye Dam. 1, H318	
	EC No.: 271-781-5			
	REACH: 01-2119527859-22- XXXX			
	Index No.:			
Acetic acid, nitrilotri-,	CAS No.: 18662-53-8	3-5%	Acute Tox. 4, H302	
trisodium salt, monohydrate	EC No.: 606-091-9		Eye Irrit. 2, H319 Carc. 2, H351	
	REACH:			
	Index No.:			
Isotridecanol, ethoxylated (Imbentin T080/90)	CAS No.: 9043-30-5	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
(Indentin 1000/90)	EC No.: 500-027-2		Lye Dam. 1, h516	
	REACH:			
	Index No.:			
Diphenyl ether	CAS No.: 101-84-8	<0.0015%	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1)	[1]



	EC No.: 202-981-2 REACH: Index No.:		Aquatic Chronic 3, H412	
isopentyl acetate;2- methylbutyl acetat;2(or 3)-	CAS No.: 123-92-2	<0.0015%	EUH066 Flam. Lig. 3, H226	[1]
methylbutyl	EC No.: 204-662-3		- · · · · · · · · · · · ·	
acetate;pentyl acetate;1- methylbutyl acetate	REACH: 01-2119548408-32- XXXX			
	Index No.: 607-130-00-2			

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

[1] European occupational exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.

To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 on "Disposal considerations" in regard of handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diphenyl ether Short term exposure limit (15 minutes) (mg/m³): 14 Long term exposure limit (8 hours) (mg/m³): 7

isopentyl acetate;2-methylbutyl acetat;2(or 3)-methylbutyl acetate;pentyl acetate;1-methylbutyl acetate



Short term exposure limit (15 minutes) (mg/m³): 530

Annex XIII of the Working Conditions Regulation, List of legal limit values.

DNEL

	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 9.6 mg/m3 Inhalation Short term – Systemic effects - Workers
	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 3.2 mg/m3 Inhalation Long term – Systemic effects - Workers
	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 2.4 mg/m3 Inhalation Short term – Systemic effects - General population
	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.9 mg/kg Oral Short term – Systemic effects - General population
	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.8 mg/m3 Inhalation Long term – Systemic effects - General population
	Product/substance DNEL Route of exposure Duration	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.3 mg/kg Oral Long term – Systemic effects - General population
PNEC		
	Product/substance PNEC Route of exposure Duration of Exposure	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.93 mg/l Freshwater
	Product/substance PNEC Route of exposure Duration of Exposure	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.093 mg/l Marine water
	Product/substance PNEC Route of exposure Duration of Exposure	Acetic acid, nitrilotri-, trisodium salt, monohydrate 0.8 mg/l Intermittent release
	Product/substance PNEC	Acetic acid, nitrilotri-, trisodium salt, monohydrate 270 mg/l



Route of exposure Sewage treatment plant Duration of Exposure

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Do not recirculate outlet air that contain the substances.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards
No special when use	ed as		
intended.			

Skin protection

Recommended Wear appropriate protection clothing, e.g. coveralls in	Type/Category -	Standards -	P
polypropylene or working clothes in cotton or polyester.			

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	-	EN374-2	111/2

Eye protection

Туре	Standards	
Wear safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Physical state
Liquid
Colour
Blue
Odour / Odour threshold
Characteristic
pH
11
Density (g/cm³)
1.03 (20 °C)
Relative density
1.03 (20 °C)
Kinematic viscosity
Testing not relevant or not possible due to nature of the product.
Particle characteristics
Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C)
Testing not relevant or not possible due to nature of the product.
Softening point/range (waxes and pastes) (°C)
Does not apply to liquids.
Boiling point (°C)
Testing not relevant or not possible due to nature of the product.
Vapour pressure
Testing not relevant or not possible due to nature of the product.
Relative vapour density
Testing not relevant or not possible due to nature of the product.
Decomposition temperature (°C)
Testing not relevant or not possible due to nature of the product.
Data on fire and explosion hazards
Flash point (°C)
Testing not relevant or not possible due to nature of the product. Ignition (°C)
Testing not relevant or not possible due to nature of the product.
Auto flammability (°C)
Testing not relevant or not possible due to nature of the product.
Lower and upper explosion limit ($\%$ v/v)
Testing not relevant or not possible due to nature of the product.
Solubility
Solubility in water
Soluble
n-octanol/water coefficient
Testing not relevant or not possible due to nature of the product.
Solubility in fat (g/L)
Testing not relevant or not possible due to nature of the product.
9.2. Other information
Other physical and chemical parameters
No data available
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available

No data available

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions



5 5	
No special	
0.4. Conditions to avoid	
No special	
0.5. Incompatible materia	ls
Strong acids, strong	bases, strong oxidizing agents, and strong reducing agents.
0.6. Hazardous decompos	
The product is not d	egraded when used as specified in section 1.
ECTION 11: Toxicological	nformation
1.1. Information on hazar	d classes as defined in Regulation (EC) No 1272/2008
Acute toxicity	
Product/substance	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Test method	
Species	Rat
Route of exposure	Inhalation
Test	LC50 (4 hours)
Result	2 - 5 mg/L
Other information	
Product/substance	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Test method	
Species	Rabbit
Route of exposure	Dermal
Test	LD50
Result	>10000 mg/kg
Other information	
Product/substance	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Test method	
Species	Rat
Route of exposure	Oral
Test	LD50
Result	1300 - 1600 mg/kg
Other information	
Skin corrosion/irritation Based on available d	ata, the classification criteria are not met.
Serious eye damage/irr	
Causes serious eye o	
Respiratory sensitisatio	
	ata, the classification criteria are not met.
Skin sensitisation	
	ata, the classification criteria are not met.
Germ cell mutagenicity	
	ata, the classification criteria are not met.
Carcinogenicity	
Suspected of causing	n cancer
Reproductive toxicity	
	ata, the classification criteria are not met.
	מנמ, נווכ נומסטוונמנוטוו נוונפוומ מוכ ווטנ ווופנ.
STOT-single exposure	ata the classification criteria are not met
	ata, the classification criteria are not met.
STOT-repeated exposur	
Based on available d	ata, the classification criteria are not met.



Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties No special Other information

No special

No specia

SECTION 12: Ecological information

12.1. Toxicity

Product/substance Test method Species Compartment Duration Test Result Other information	Sulfonic acids, petroleum, sodium salts Fish 96 hours LC50 1 - 10 mg/L
Product/substance Test method Species Compartment	Sulfonic acids, petroleum, sodium salts Daphnia
Duration	48 hours
Test Result	EC50 9.81 mg/L
Other information	2.61 mg/L
Product/substance Test method	Sulfonic acids, petroleum, sodium salts
Species Compartment	Algae
Duration	72 hours
Test	EC50
Result Other information	> 61 mg/L
Product/substance Test method	Sulfonic acids, petroleum, sodium salts
Species Compartment	Bacteria
Duration	16 hours
Test	NOEC
Result Other information	600 mg/L



Product/substance	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	103 mg/L
Other information	
Product/substance Test method	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Species	Daphnia
Compartment	
Duration	48 hours
Test	EC50
Result	560 mg/L
Other information	
Product/substance Test method	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Species	Algae
Compartment	5
Duration	72 hours
Test	EC50
Result	>91.5 mg/L
Other information	
Product/substance Test method	Acetic acid, nitrilotri-, trisodium salt, monohydrate
Species	Algae
Compartment	, ugue
Duration	72 hours
Test	NOEC
Result	1.43 mg/L
Other information	
Persistence and degr	adability
Product/substance	Acetic acid, nitrilotri-, trisodium salt, monohydrate
	Yes
Biodegradable	
Biodegradable Test method	

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties

No special

12.7. Other adverse effects

No special

12.2.



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 7 – Carcinogenic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Not applicable

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-

-

* Packing group

** Environmental hazards

Additional information

IATA -

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments No data available

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements

SEVESO - Categories / dangerous substances

Not applicable

Additional information

Not applicable

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Working Conditions Act 1998 and latest Working Conditions Decree of 01-01-2021.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment



No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H226, Flammable liquid and vapour.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H351, Suspected of causing cancer.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol

of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

▼ The safety data sheet is validated by

RK



Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: NL-en