

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: **BC1/CC1 - Chloride Indicator**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation: Reagent for water analysis

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier:

Vecom Marine B.V.  
Mozartlaan 3  
NL 3144 NA Maassluis  
The Netherlands

Telephone: +31 (0)10 5930 210  
Email: sales@vecom-marine.com

#### 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service)  
Only for the purpose of informing medical personnel in case of acute intoxications.  
See section 4 on first aid measures.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 1B

H340 May cause genetic defects.

Carc. 1B

H350i May cause cancer by inhalation.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1

H317 May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS07



GHS08



GHS09

Signal word Danger

##### Hazard-determining components of labelling:

potassium chromate

##### Hazard statements

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350i May cause cancer by inhalation.

(Contd. on page 2)

— GB —

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection.

P273 Avoid release to the environment.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P405 Store locked up.

**Additional information:**

Restricted to professional users.

**2.3 Other hazards** No further relevant information available.

**Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

**Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**
**Description:** aqueous solution

**Dangerous components:**

The percent content of the chromium compound mentioned below refers to the amount of chromate ions dissolved in water.

CAS: 7789-00-6	potassium chromate	1-<2.5%
EINECS: 232-140-5	⚠ Muta. 1B, H340; Carc. 1B, H350i; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.5 %	
Index No: 024-006-00-8		

**SVHC**

CAS: 7789-00-6 | potassium chromate

**SVHC (UK)**

CAS: 7789-00-6 | potassium chromate

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**
**General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Instantly remove any clothing soiled by the product.

**After inhalation** Supply fresh air or oxygen; call for doctor.

**After skin contact**

Instantly wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Clean contaminated small wounds very thoroughly immediately.

Seek medical treatment.

**After eye contact**

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

**After swallowing**

Rinse out mouth and then drink 1-2 glasses of water.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed:**

irritations

allergic reactions

after swallowing and inhalation:

absorption

after inhalation:

mucosal irritations, cough, shortness of breath

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

---

**Product name: BC1/CC1 - Chloride Indicator**


---

(Contd. of page 2)

after swallowing:

pain

vomiting

gastric or intestinal trouble

bloody diarrhoea

after absorption:

cardiovascular disorders

methaemoglobinaemia

CNS disorders

- **Danger**

Danger of system failure.

risk of skin sensitization

- **4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

---

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

- **5.2 Special hazards arising from the substance or mixture**

The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

chromium trioxide

Dipotassium oxide

- **5.3 Advice for firefighters**

- **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

- **Additional information**

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

---

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

- **Advice for non-emergency personnel:**

Wear protective equipment. Keep unprotected persons away.

Avoid substance contact.

Ensure adequate ventilation

Use breathing protection against the effects of fumes/dust/aerosol.

- **Advice for emergency responders:** Protective equipment: see section 8

- **6.2 Environmental precautions:**

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

- **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Do not allow to dry out

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

- **6.4 Reference to other sections**

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

---

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

- **Advice on safe handling:** Prevent formation of aerosols.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 3)

- **Hygiene measures:**
  - Do not get in eyes, on skin, or on clothing.
  - Take off immediately all contaminated clothing.
  - Store protective clothing separately.
  - Wash hands during breaks and at the end of the work.
  - Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:** Store in cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
  - Store in a locked cabinet or with access restricted to technical experts or their assistants.
  - Protect from heat and direct sunlight.
  - Protect from the effects of light.
  - Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

##### **CAS: 7789-00-6 potassium chromate**

WEL (Great Britain)	Long-term value: 0.01 0.025* mg/m <sup>3</sup> as Cr; Carc, Sen, BMGV; *process generated
BOELV (European Union)	Long-term value: 0.005; 0.01*; 0.025** mg/m <sup>3</sup> as Cr; *until 01/17/2025**processes generating fume

- **Regulatory information**

WEL (Great Britain): EH40/2020  
BOELV (European Union): EU 2022/431

- **Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

- **Ingredients with biological limit values:**

##### **CAS: 7789-00-6 potassium chromate**

BMGV (Great Britain)	10 µmol/mol creatinine Medium: urine Sampling time: post shift Parameter: chromium
----------------------	---

- **Regulatory information** BMGV (Great Britain): EH40/2011

- **Additional information:** The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

- **Individual protection measures, such as personal protective equipment**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

- **Eye/face protection**

Safety glasses

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

- **Hand protection**

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves**

nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 4)

- **Penetration time of glove material**  
Value for the permeation: Level = 1 ( < 10 min )  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Other skin protection (body protection):** Protective work clothing.
- **Breathing equipment:**  
In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
- **Recommended filter device for short term use:** Filter P3
- **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

· <b>Physical state</b>	Fluid
· <b>Form:</b>	Solution
· <b>Colour:</b>	Yellow
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not applicable.
· <b>Melting point/Freezing point:</b>	Not determined.
· <b>Boiling point or initial boiling point and boiling range</b>	Not determined.
· <b>Flammability</b>	The product is not combustible.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	Not applicable.
· <b>Upper:</b>	Not applicable.
· <b>Flash point:</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20°C</b>	9.5
· <b>Kinematic viscosity</b>	Not determined.
· <b>Solubility</b>	
· <b>Water:</b>	Fully miscible
· <b>Partition coefficient n-octanol/water (log value)</b>	Not applicable (mixture).
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20°C:</b>	1.04 g/cm <sup>3</sup>
· <b>Relative density:</b>	Not determined.
· <b>Relative gas density</b>	Not determined.
· <b>Particle characteristics</b>	Not applicable (liquid).

#### · 9.2 Other information

· <b>Information with regard to physical hazard classes</b>	
· <b>Corrosive to metals</b>	Void
· <b>Other safety characteristics</b>	
· <b>Oxidising properties:</b>	none
· <b>Additional information</b>	
· <b>Solids content:</b>	< 3 %
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0 %
· <b>Water:</b>	> 97 %

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability** Stable at ambient temperature (room temperature).
- **10.3 Possibility of hazardous reactions** Reacts with reducing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** organic substances

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 5)

 · **10.6 Hazardous decomposition products:** see section 5

### SECTION 11: Toxicological information

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 · **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

**CAS: 7789-00-6 potassium chromate**

Oral	LD50.	180 mg/kg (mouse)
------	-------	-------------------

 · **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

 · **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

 · **Respiratory or skin sensitisation** May cause an allergic skin reaction.

#### · Information on components:

CAS 7789-00-6: Sensitizing effect by inhalation and skin contact is possible by prolonged exposure.

 · **Germ cell mutagenicity** May cause genetic defects.

 · **Carcinogenicity** May cause cancer by inhalation.

 · **Reproductive toxicity** Based on available data, the classification criteria are not met.

 · **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.

 · **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.

 · **Aspiration hazard** Based on available data, the classification criteria are not met.

#### · Information on likely routes of exposure

The main route of absorption for potassium (di)chromate is through the respiratory tract. Soluble chromates are absorbed relatively quickly through the lungs.

In case of extensive skin contact, especially with injured skin, life-threatening doses can be absorbed. Organic solvents or oils promote absorption.

#### · Additional toxicological information:

CAS 7789-00-6 Potassium chromate / CAS 7778-50-9 Potassium dichromate

Main toxic effects [GESTIS]:

acute: irritation/damage to mucous membranes and skin, sensitizing effect (skin/respiratory tract). Damage to kidneys, blood and liver.

chronic: irritation/damage to the skin and mucous membranes, especially in the nose and throat. After penetration of the substance into wounds, these tend to form ulcers.

Allergic skin and respiratory diseases.

resorptive effects: primarily damage to the kidneys up to acute kidney failure; in addition, hemorrhagic diathesis, thrombocytopenia, anemia, possibly methemoglobinemia;

rarely: rapid onset of CNS damage or hepatitis as a late consequence; also promoting respiratory infections.

#### · 11.2 Information on other hazards

 · **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

#### · Other information

This substance / mixture should be handled with particular care.

Other dangerous properties can not be excluded.

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

##### · Aquatic toxicity:

**CAS: 7789-00-6 potassium chromate**

EC50	0.02 mg/l/48h (Daphnia magna) (Ecotox)
	0.18 mg/l/48h (Daphnia pulex)

LC50	39.8 mg/l/96h (fathhead minnow) (ECOTOX)
------	---

#### · 12.2 Persistence and degradability .

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 6)

**Other information:**

Mixture of inorganic compounds.

Methods for the determination of biodegradability are not applicable to inorganic substances.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

**12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects** Avoid transfer into the environment.

**Water hazard:**

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**
**Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Hand over to disposers of hazardous waste.

Disposal recommendation: as waste containing heavy metals (contains very small amounts of heavy metals)

**European waste catalogue**

16 05 07\* | discarded inorganic chemicals consisting of or containing hazardous substances

**Uncleaned packagings:**
**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

**14.1 UN number or ID number**
**ADR, IMDG, IATA**

UN3082

**14.2 UN proper shipping name**
**ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)

**IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate), MARINE POLLUTANT

**IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)

**14.3 Transport hazard class(es)**
**ADR**

**Class**

9 (M6) Miscellaneous dangerous substances and articles.

**Label**

9

**IMDG, IATA**

**Class**

9 Miscellaneous dangerous substances and articles.

**Label**

9

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

**Product name: BC1/CC1 - Chloride Indicator**

(Contd. of page 7)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b> · <b>Special marking (ADR):</b> · <b>Special marking (IATA):</b>	Product contains environmentally hazardous substances: potassium chromate Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
· <b>14.6 Special precautions for user</b> · <b>Kemler Number:</b> · <b>EMS Number:</b> · <b>Stowage Category</b>	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b> · <b>Tunnel restriction code</b>	3 E
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

· **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

CAS: 7789-00-6 | potassium chromate

· **Substances of very high concern (SVHC) according to REACH, Article 57** see item 3 SVHC

· **Substances of very high concern (SVHC) according to UK REACH** see item 3 SVHC

· **Directive 2012/18/EU (SEVESO III):**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category E2** Hazardous to the Aquatic Environment

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 28, 29, 47, 72

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 9 (replaces version 8)

Revision: 30.08.2022

---

**Product name: BC1/CC1 - Chloride Indicator**


---

(Contd. of page 8)

- **Information about limitation of use:**

Employment restrictions concerning young persons must be observed (94/33/EC).

Employment restrictions concerning pregnant and lactating women must be observed (92/85/EEC).

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
- 

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350i May cause cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

EC50: effective concentration, 50 percent (in vivo)

OECD: Organisation for Economic Co-operation and Development

STOT: specific target organ toxicity

SE: single exposure

RE: repeated exposure

EC50: half maximal effective concentration

IC50: half maximal inhibitory concentration

NOEL or NOEC: No Observed Effect Level or Concentration

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- **Sources**

Data arise from safety data sheets, reference works and literature.

ECOTOX Database

ECHA: European Chemicals Agency <http://echa.europa.eu>

GESTIS- Stoffdatenbank (Substance Database, Germany)

- \* **Data compared to the previous version altered.**
-

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name: **BC2 - Chloride HR Titrant**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation: Reagent for water analysis

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier:

Vecom Marine B.V.  
Mozartlaan 3  
NL 3144 NA Maassluis  
The Netherlands

Telephone: +31 (0)10 5930 210  
Email: sales@vecom-marine.com

#### 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service)  
Only for the purpose of informing medical personnel in case of acute intoxications.  
See section 4 on first aid measures.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr. 1      H290 May be corrosive to metals.  
Eye Dam. 1      H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1      H400 Very toxic to aquatic life.  
Aquatic Chronic 1      H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS05



GHS09

Signal word Danger

##### Hazard-determining components of labelling:

silver nitrate

##### Hazard statements

H290 May be corrosive to metals.

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

### Product name: BC2 - Chloride HR Titrant

(Contd. of page 1)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

· **2.3 Other hazards** No further relevant information available.

#### · Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

#### · Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· **Description:** aqueous solution

#### · Dangerous components:

CAS: 7761-88-8	silver nitrate	2.5–<5%
EINECS: 231-853-9	<span style="color: red;">⚠</span> Ox. Sol. 2, H272; <span style="color: red;">⚠</span> Skin Corr. 1B, H314; <span style="color: red;">⚠</span> Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100); <span style="color: red;">⚠</span> Acute Tox. 4, H302	
Index No: 047-001-00-2		
Reg.nr.: 01-2119513705-43-XXXX		

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

· **General information** Instantly remove any clothing soiled by the product.

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

#### · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

#### · After eye contact

Rinse opened eye for several minutes (at least 15 min) under running water.

Call a doctor immediately.

#### · After swallowing

Rinse out mouth and then drink 1-2 glasses of water.

In case of persistent symptoms consult doctor.

### · 4.2 Most important symptoms and effects, both acute and delayed:

Irritation and corrosion

after swallowing of large amounts:

irritations

gastric or intestinal trouble

vomiting

cardiovascular disorders

CNS disorders

methaemoglobinaemia

#### · Danger

Risk of serious damage to eyes.

Risk of corneal clouding.

### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

— GB —  
(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture**  
The product is not combustible.  
Formation of toxic gases is possible during heating or in case of fire.  
Can be released in case of fire:  
nitrous gases  
Nitrogen oxides (NO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained breathing apparatus.  
Wear full protective suit.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter drains.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Ambient fire may liberate hazardous vapours.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
- **Advice for non-emergency personnel:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **Advice for emergency responders:** Protective equipment: see section 8
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or water bodies.  
Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, universal binders).  
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
- **Advice on safe handling:** No special precautions necessary if used correctly.
- **Hygiene measures:**  
Avoid contact with the skin.  
Avoid contact with the eyes.  
Take off immediately all contaminated clothing.  
Wash hands during breaks and at the end of the work.  
Do not eat, drink or smoke when using this product.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and containers:**  
Store in cool location.  
Keep only in original packaging.
- **Information about storage in one common storage facility:** Store away from metals.
- **Further information about storage conditions:**  
Protect from heat and direct sunlight.  
Store in the dark.  
Protect from the effects of light.  
Protect from humidity and keep away from water.
- **Recommended storage temperature:** 20°C +/- 5°C

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· **Components with limit values that require monitoring at the workplace:**

**CAS: 7761-88-8 silver nitrate**

WEL (Great Britain)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag
IOELV (European Union)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag

#### · **Regulatory information**

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

#### · **DNELs**

**CAS: 7761-88-8 silver nitrate**

Inhalative DNEL 0.016 mg/m<sup>3</sup> (Worker / long-term /systemic effects)

#### · **Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

· **Additional information:** The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

##### · **Engineering measures:**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See item 7.

##### · **Individual protection measures, such as personal protective equipment**

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled.

##### · **Eye/face protection**

Tightly sealed safety glasses.

Use safety glasses that have been tested and approved in accordance with government standards such as EN 166.

##### · **Hand protection**

Protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

After use of gloves apply skin-cleaning agents and skin cosmetics.

##### · **Material of gloves**

nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.11$  mm

##### · **Penetration time of glove material**

Value for the permeation: Level = 1 (< 10 min)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

##### · **Other skin protection (body protection):** Protective work clothing.

· **Breathing equipment:** Use breathing protection against the effects of fumes/dust/aerosol.

· **Recommended filter device for short term use:** Filter ABEK

· **Environmental exposure controls** Do not allow product to reach sewage system or water bodies.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

· <b>Physical state</b>	Fluid
· <b>Form:</b>	Solution
· <b>Colour:</b>	Colourless
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not applicable.
· <b>Melting point/Freezing point:</b>	Not determined.
· <b>Boiling point or initial boiling point and boiling range</b>	100°C (CAS: 7732-18-5 water)

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**

(Contd. of page 4)

· <b>Flammability</b>	The product is not combustible.
· <b>Explosive properties:</b>	Product is not explosive.
· <b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not applicable.
<b>Upper:</b>	Not applicable.
· <b>Flash point:</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20°C</b>	5
· <b>Kinematic viscosity</b>	Not determined.
· <b>Solubility</b>	
· <b>Water:</b>	Fully miscible
· <b>Partition coefficient n-octanol/water (log value)</b>	Not applicable (mixture).
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20°C:</b>	1 g/cm <sup>3</sup>
· <b>Relative density:</b>	Not determined.
· <b>Relative gas density</b>	Not determined.
· <b>Particle characteristics</b>	Not applicable (liquid).
<b>· 9.2 Other information</b>	
· <b>Information with regard to physical hazard classes</b>	
· <b>Corrosive to metals</b>	
May be corrosive to metals.	
· <b>Metals that are corroded by the substance or mixture</b>	Information on incompatible materials can be found in Sections 7 and 10.
· <b>Other safety characteristics</b>	
· <b>Oxidising properties:</b>	none
· <b>Additional information</b>	
· <b>Solids content:</b>	< 5 %
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	0.0 %
· <b>Water:</b>	> 95 %

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** see section 10.3
- **10.2 Chemical stability**  
Stable at ambient temperature (room temperature).  
sensitivity to light
- **10.3 Possibility of hazardous reactions**  
Corrosive action on metals  
Reacts with alcohols
- **10.4 Conditions to avoid** Strong heating (decomposition)
- **10.5 Incompatible materials:**  
metals  
aluminium  
steel
- **10.6 Hazardous decomposition products:**  
nitrous gases  
In case of fire: see section 5.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**

(Contd. of page 5)

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>CAS: 7761-88-8 silver nitrate</b>		
Oral	LD50	1173 mg/kg (rat) (RTECS)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.  
Risk of corneal clouding.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -single exposure** Based on available data, the classification criteria are not met.
- **STOT (specific target organ toxicity) -repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· <b>Additional toxicological information:</b>	
<b>CAS: 7761-88-8 silver nitrate</b>	
·	(source: GESTIS) Main toxic effects: Acute: Irritant to caustic effect on mucous membranes and skin. After ingestion of high doses: gastrointestinal complaints, disorders of the cardiovascular system and disorders of the central nervous system. chronic: silver deposits in the tissues (argyria)
·	Further information: Depending on the concentration, dust and solutions have an irritating to highly caustic effect on mucous membranes and skin. 5-50% solutions caused severe eye damage, in some cases permanent corneal opacity.

- **11.2 Information on other hazards**
- **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **Other information**  
According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

## SECTION 12: Ecological information

### · 12.1 Toxicity

· <b>Aquatic toxicity:</b>	
<b>CAS: 7761-88-8 silver nitrate</b>	
LC50	0.00022 mg/l/48h (Daphnia magna) (OECD 202) (Merck, Ag-Ion)
EC10	0.0021 mg/l (Daphnia magna) (21) (Registrant, ECHA)
NOEC	0.00037 mg/l (fathhead minnow) (OECD 210) (Merck)
LC50	0.0012 mg/l/96h (fathhead minnow) (US-EPA) (Merck, Ag-Ion)

- **12.2 Persistence and degradability .**
- **Other information:**  
Mixture of inorganic compounds.  
Methods for the determination of biodegradability are not applicable to inorganic substances.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**






(Contd. of page 6)

- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** Avoid transfer into the environment.
- **Water hazard:**  
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into soil.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Hand over to disposers of hazardous waste.
- **European waste catalogue**  
16 05 07\* | discarded inorganic chemicals consisting of or containing hazardous substances
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	UN1760
<ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>	1760 CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), ENVIRONMENTALLY HAZARDOUS CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), MARINE POLLUTANT CORROSIVE LIQUID, N.O.S. (SILVER NITRATE)
<ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 (C9) Corrosive substances. 8
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">   </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 Corrosive substances. 8
<ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>	<div style="display: flex; align-items: center; gap: 10px;">  </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	8 Corrosive substances. 8
<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	III

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

**Product name: BC2 - Chloride HR Titrant**

(Contd. of page 7)

<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> </ul>	<ul style="list-style-type: none"> <li>Symbol (fish and tree)</li> <li>Symbol (fish and tree)</li> </ul>
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Kemler Number:</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> </ul>	<ul style="list-style-type: none"> <li>Warning: Corrosive substances.</li> <li>80</li> <li>F-A,S-B</li> <li>A</li> <li>SW2 Clear of living quarters.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>14.7 Maritime transport in bulk according to IMO instruments</b></li> </ul>	<ul style="list-style-type: none"> <li>Not applicable.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<ul style="list-style-type: none"> <li>5L</li> <li>Code: E1</li> <li>Maximum net quantity per inner packaging: 30 ml</li> <li>Maximum net quantity per outer packaging: 1000 ml</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	<ul style="list-style-type: none"> <li>3</li> <li>E</li> </ul>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<ul style="list-style-type: none"> <li>5L</li> <li>Code: E1</li> <li>Maximum net quantity per inner packaging: 30 ml</li> <li>Maximum net quantity per outer packaging: 1000 ml</li> </ul>

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **Regulation (EU) 2019/1148 on the marketing and use of explosives precursors** not regulated

- **Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 1005/2009 on substances that deplete the ozone layer:**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

- **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)**

None of the ingredients is listed.

- **Substances of very high concern (SVHC) according to REACH, Article 57**

This product does not contain any substances of very high concern above the legal concentration limit of  $\geq 0.1\%$  (w / w).

- **Substances of very high concern (SVHC) according to UK REACH** see item 3 SVHC

- **Directive 2012/18/EU (SEVESO III):**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **Seveso category E1** Hazardous to the Aquatic Environment

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **Information about limitation of use:** Not required.

(Contd. on page 9)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 03.07.2023

Version number 6 (replaces version 5)

Revision: 31.01.2023

---

**Product name: BC2 - Chloride HR Titrant**


---

(Contd. of page 8)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.
- 

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Training hints** Provide adequate information, instruction and training for operators.

- **Relevant phrases**

H272 May intensify fire; oxidiser.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

- **Abbreviations and acronyms:**

STOT: specific target organ toxicity  
 SE: single exposure  
 RE: repeated exposure  
 EC50: half maximal effective concentration  
 IC50: half maximal inhibitory concentration  
 NOEL or NOEC: No Observed Effect Level or Concentration  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (UK REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative  
 Ox. Sol. 2: Oxidizing solids – Category 2  
 Met. Corr.1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

- **Sources**

Data arise from safety data sheets, reference works and literature.  
 RTECS (Registry of Toxic Effects of Chemical Substances )  
 ECHA: European CHemicals Agency <http://echa.europa.eu>  
 GESTIS- Stoffdatenbank (Substance Database, Germany)

- **\* Data compared to the previous version altered.**