

Page 1/9

### Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

### · Product name: Pa2/Ta2 - Alkalinity HR Titrant

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Application of the substance / the preparation: Reagent for water analysis

### 1.3 Details of the supplier of the safety data sheet

• **Supplier:** Vecom Marine B.V. Mozartlaan 3 3144 NA Maassluis The Netherlands

Telephone: + 31 (0)10 5930 210 Email: sales@vecom-marine.com

### 1.4 Emergency telephone number:

Dutch Poisons Information Center (NVIC): +31 (0)88 755 8000 (24 hour service) Only for the purpose of informing medical personnel in case of acute intoxications. See section 4 on first aid measures.

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the GB CLP regulation.
 Hazard pictograms



Signal word Warning
Hazard statements
H290 May be corrosive to metals.
Precautionary statements
P234 Keep only in original packaging.
P390 Absorb spillage to prevent material damage.

· 2.3 Other hazards No further relevant information available.

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 8 (replaces version 7)

Revision: 16.12.2024

## Product name: Pa2/Ta2 - Alkalinity HR Titrant

### Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

• **Description:** weak sulfuric acid solution

<sup>•</sup> Dangerous components:			
CAS: 7664-93-9	sulphuric acid	≤2.5%	
EINECS: 231-639-5	♦ Met. Corr.1, H290; Skin Corr. 1A, H314		
Index No: 016-020-00-8	Specific concentration limits: Skin Corr. 1A; H314: C ≥ 15 %		
Reg.nr.: 01-2119458838-20-XXXX	Skin Irrit. 2; H315: 5 % ≤ C < 15 %		
•	Eye Dam. 1; H318: C ≥ 15 %		
	Eye Irrit. 2; H319: 5 % ≤ C < 15 %		
Additional information For the wording of the listed beyond phrases refer to eastion 16			

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### • 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.

### After eye contact

- Rinse opened eye for several minutes under running water (at least 15 min). If symptoms persist, consult doctor.
- After swallowing
- Rinse out mouth and then drink 1-2 glasses of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed: irritating effects possible
- 4.3 Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

### **SECTION 5: Firefighting measures**

### • 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- The product is not combustible.

Formation of toxic gases is possible during heating or in case of fire.

- Can be released in case of fire:
- Sulphur oxides (SOx)

### 5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

## Wear full protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Ambient fire may liberate hazardous vapours.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures
- Advice for non-emergency personnel: No special measures required.
- Advice for emergency responders: Protective equipment: see section 8

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies. Dilute with much water. (Contd. of page 1)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Neutralize with diluted sodium hydroxide solution.

Absorb with liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

### 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

• Advice on safe handling: Prevent formation of aerosols. • Hygiene measures:

Take off immediately all contaminated clothing. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and containers:

Store in cool location.

Keep only in original packaging.

· Information about storage in one common storage facility: Store away from metals.

• Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from the effects of light.

Protect from humidity and keep away from water.

Recommended storage temperature: 20°C +/- 5°C

• 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

### <sup>•</sup> 8.1 Control parameters

 Components with limit values that require monitoring at the workplace:

 CAS: 7664-93-9 sulphuric acid

 WEL (Great Britain)
 Long-term value: 0.05\* mg/m³<br/>\*mist: defined as thoracic fraction

 IOELV (European Union)
 Long-term value: 0.05 mg/m³

### Regulatory information

WEL (Great Britain): EH40/2020

IOELV (European Union): (EU) 2019/1831

Additional information: IOELV = Indicative Occupational Exposure Limit

DNELs

Derived No Effect Level (DNEL)

CAS: 7664-93-9 sulphuric acid

Inhalative DNEL 0.1 mg/m<sup>3</sup> (Worker / acute / local effects) 0.05 mg/m<sup>3</sup> (Worker / acute / systemic effects)

### **Recommended monitoring procedures:**

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

### · PNECs

Predicted No Effect Concentration (PNEC)

TIEUICI		
CAS: 7	'664-93-9 sulphuric acid	
PNEC	8.8 mg/l (Sewage treatment plant)	
	0.00025 mg/l (Marine water)	
	0.0025 mg/l (Fresh water)	
PNEC	0.002 mg/kg (Marine sediment)	

(Contd. on page 4)

(Contd. of page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

	(Contd. of page 3
0.002 mg/kg (Fresh water sediment)	
· Additional information: The lists that were valid durin	g the compilation were used as basis.
8.2 Exposure controls	
<ul> <li>Engineering measures: Technical measures and appropriate working operation See item 7.</li> </ul>	ns should be given priority over the use of personal protective equipment.
<ul> <li>substances handled.</li> <li>Eye/face protection Safety glasses use against the effects of fumes / dust Use safety glasses that have been tested and approve</li> <li>Hand protection Preventive skin protection by use of skin-protecting age After use of gloves apply skin-cleaning agents and skin</li> <li>Material of gloves nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm</li> <li>Penetration time of glove material Value for the permeation: Level = 1 ( &lt; 10 min )</li> </ul>	ne workplace, depending on concentration and quantity of the hazardous d in accordance with government standards such as EN 166. ents is recommended.
• Other skin protection (body protection): Protective v • Breathing equipment: Use breathing protection again • Recommended filter device for short term use: Filter	work clothing. Ist the effects of fumes/dust/aerosol. er P2
• Environmental exposure controls Do not allow produ	uct to reach sewage system or water bodies.
SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemic	al properties
Physical state	Fluid
· Form:	Liquid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not applicable.
Melting point/Freezing point:	Not determined.
Boiling point or initial boiling point and boiling ran	
Flammability	The product is not combustible.
• Explosive properties:	Product is not explosive.
· Lower and upper explosion limit	Natapplicable
Lower:	Not applicable.
Upper: · Flash point:	Not applicable. Not applicable.
· Auto-ignition temperature:	Not applicable.
	Not applicable. Not determined.
<ul> <li>Decomposition temperature:</li> <li>pH at 20°C</li> </ul>	< 2
	Strongly acidic
· Kinematic viscosity	Not determined.
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not applicable (mixture).
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20°C:	1 g/cm³
· Relative density:	Not determined.
· Relative gas density	Not determined.
Particle characteristics	Not applicable (liquid).
9.2 Other information	
	(Contd. on page 5

— GB —

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 8 (replaces version 7)

Revision: 16.12.2024

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

	(Contd. of page 4
<ul> <li>Information with regard to physical hazard classes</li> <li>Corrosive to metals</li> <li>Metal corrosion rate:</li> </ul>	May be corrosive to metals. acc. to "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Fifth revised Edition"
<ul> <li>Corrosion rate (steel)</li> <li>Other safety characteristics</li> </ul>	11.2 mm/a
• Oxidising properties: • Additional information	none
· Solids content: · Solvent content:	0 %
· Organic solvents: · Water:	0 % > 97 %

### **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** see section 10.3

10.2 Chemical stability Stable at ambient temperature (room temperature).

- 10.3 Possibility of hazardous reactions
- Corrosive action on metals

Reacts with metals forming hydrogen (Danger of explosion in case of large amounts!)

Reacts with acids and alkali (lyes).

Reacts with ammonia (NH<sub>3</sub>).

• 10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

metals

organic solvents

Printing date 16.12.2024

10.6 Hazardous decomposition products: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
CAS: 7664	4-93-9 9	sulphuric acid
Oral	LD50	2140 mg/kg (rat) (IUCLID)
Inhalative	LC 50	510 mg/m³/2h (rat) IUCLID

Skin corrosion/irritation Based on available data, the classification criteria are not met.
 Serious eye damage/irritation Based on available data, the classification criteria are not met.
 Information on components: CAS 7664-93-9: chronic: dermatitis

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT (specific target organ toxicity) -single exposure Based on available data, the classification criteria are not met. • STOT (specific target organ toxicity) -repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

### · Information on likely routes of exposure

The intake of sulfuric acid is mainly to be expected via the inhalative pathway in the form of aerosols. No studies on absorbability are available.

Generally, local reactions cause the main effects.

Following impact to the skin strong local effects are the main issue. There is no indication of absorption of relevant amounts of S. via the intact skin.

Absorbability via the gastrointestinal tract is assumed. However, no studies on the kinetics of uptake are available. [GESTIS] (Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

(Contd. of page 5)

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

### Additional toxicological information:

Vapours and aerosols may be irritant to the mucous membranes and upper respiratory tract.

### CAS: 7664-93-9 sulphuric acid

(source: GESTIS) Main toxic effects

Acute: Irritation up to chemical burns to the mucous membranes and skin, danger of serious damage to the eyes and lungs Chronic: Irritation to the eyes and airways, erosion of the teeth, damage to the skin

#### Further Information:

Concentrated S. differs considerably from dilute Sulfuric acid with regard to chemical properties and effects. With increased dilution Sulfuric acid acts less aggressively.

### 11.2 Information on other hazards

• Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

#### · Other information

According to the information available to us, the chemical, physical and toxicological properties of the substances mentioned in Chapter 3 have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Aquatic toxicity:

CAS: 7664-93-9 sulphuric acid EC50 >100 mg/l/48h (Daphnia magna) (OECD 202) (ECHA) 16-29 mg/l/96h (bluegill) LC50 (Merck) Bacterial toxicity: sulphates toxic > 2.5 g/l Other information: Toxic for fish: Sulphates > 7 g/l 12.2 Persistence and degradability · Other information: Mixture of inorganic compounds. Methods for the determination of biodegradability are not applicable to inorganic substances. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment This mixture does not contain any substances that are assessed to be persistent, bioaccumulative and toxic (PBT) or very

persistent and very bioaccumulative (vPvB), according to the criteria given in Annex XIII of Regulation (EC) No. 1907/2006.

• **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Avoid transfer into the environment.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### Hand over to disposers of hazardous waste.

#### European waste catalogue

16 05 07\* discarded inorganic chemicals consisting of or containing hazardous substances

#### Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 8 (replaces version 7)

Revision: 16.12.2024

(Contd. of page 6)

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

· Recommended cleaning agent: Water, if necessary with cleaning agent.

OFOTION 44. Tuesday and information	
SECTION 14: Transport information	
<ul> <li>14.1 UN number or ID number</li> <li>ADR, IMDG, IATA</li> </ul>	UN3264
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>IMDG, IATA</li> </ul>	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID)
· 14.3 Transport hazard class(es)	
ADR	
Str. 200	
· Class · Label	8 (C1) Corrosive substances. 8
· IMDG, IATA	·
· Class · Label	8 Corrosive substances. 8
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	III
<sup>•</sup> 14.5 Environmental hazards:	Not applicable.
<ul> <li>14.6 Special precautions for user</li> <li>Kemler Number:</li> <li>EMS Number:</li> <li>Segregation groups</li> <li>Stowage Category</li> <li>Stowage Code</li> </ul>	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.
<ul> <li>14.7 Maritime transport in bulk according instruments</li> </ul>	to IMO Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	3 E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

(Contd. of page 7)

### **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poisons Act UK Regulated explosives precursors The concentration of the substance is less than the stated mass percentage and should still be considered as reportable substance CAS: 7664-93-9 sulphuric acid 15% · Regulated poisons None of the ingredients is listed. Reportable explosives precursors None of the ingredients is listed. Reportable poisons None of the ingredients is listed. Regulation (EU) 2019/1148 on the marketing and use of explosives precursors This product is regulated by Regulation (EU) 2019/1148: All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see https://ec.europa.eu explosives precursors - ANNEX I CAS 7664-93-9: c < 15% CAS: 7664-93-9 sulphuric acid Regulation (EU) No 649/2012 concerning the export and import of hazardous chemicals (PIC) None of the ingredients is listed. Regulation (EC) No 1334/2000 setting up a Community regime for the control of exports of dual-use items and technology: None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors CAS: 7664-93-9 sulphuric acid 3 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors CAS: 7664-93-9 sulphuric acid 3 REGULATION (EU) 2019/1021 on persistent organic pollutants (POP) None of the ingredients is listed. LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV) None of the ingredients is listed. Substances of very high concern (SVHC) according to REACH, Article 57 This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w). Substances of very high concern (SVHC) according to UK REACH This product does not contain any substances of very high concern above the legal concentration limit of $\geq 0.1\%$ (w / w). · Directive 2012/18/EU (SEVESO III): · Named dangerous substances - ANNEX I None of the ingredients is listed.

· Information about limitation of use: Not required.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

• Training hints Provide adequate information, instruction and training for operators.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

GB —

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.12.2024

Version number 8 (replaces version 7)

Revision: 16.12.2024

### Product name: Pa2/Ta2 - Alkalinity HR Titrant

	(Contd. of page 8)
H315 Causes skin irritation.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
· Abbreviations and acronyms:	
OECD: Organisation for Economic Co-operation and Development	
STOT: specific target organ toxicity	
SE: single exposure	
RE: repeated exposure	
EC50: half maximal effective concentration	
IC50: half maximal inhibitory concentration	
NOEL or NOEC: No Observed Effect Level or Concentration	in a f Dan and a second
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carri	lage of Dangerous
Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the Internation	al Transport of
Dangerous Goods by Rail)	ai mansport oi
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (UK REACH)	
PNEC: Predicted No-Effect Concentration (UK REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skill Colt. TA. Skill Collosion/initiation - Category TA	
· Sources	
Data arise from safety data sheets, reference works and literature.	

IUCLID (International Uniform Chemical Information Database)

·\* Data compared to the previous version altered.